

Equations – Introduction

Left-hand Side = Right-hand Side

[MATH by Wilson
Your Personal Mathematics Trainer
MathByWilson.com]

An **equation** is a statement that the expression on the left-hand side equals (“=”) the expression on the right-hand side. The following are a few of the many types of equations:

1. $3x - 4 = 11$; linear equation [“x” is to the power “1”: $x^1 = x$]
2. $3 - (x + 4) = 2(3 - x)$; linear equation
3. $x^2 - 2x = 8$; quadratic equation [“x” is to the power “2”: x^2]
4. $|2x - 7| = 3$; absolute value equation: $|?|$
5. $\sqrt{5x + 6} = 4$; radical equation: $\sqrt{?}$; in general, $\sqrt[n]{?}$
6. $\frac{x}{x - 2} = 2$; rational equation: $\frac{?}{?}$
7. $2^{x-3} = 8$; exponential equation: Base^{Power}
8. $\log_2(x + 25) = 7$; logarithmic equation: $\log_{\text{Base}}(?)$

Notice that each of these equations has the letter “x” in them (actually, other letters may be used); it is called the **unknown**. The *goal* is the **solve** the equation. **Solve** means to find one or more values for “x”, if there are any, that make the expression on the left-hand side equal (“=”) to the expression on the right-hand side. These values will be called **solutions** of the equation. We are NOT ready to learn how to solve all of the equations above yet, but we can determine if a particular value for “x” is a solution.

1. Show that $x = 5$ is a solution of the linear equation $3x - 4 = 11$. We just substitute $x = 5$ into the left-hand side of the equation and see if we get 11.

Let’s see

$$3x - 4 = 3 * 5 - 4 = 15 - 4 = 11$$

so $x = 5$ is a solution.

2. Is $x = 7$ a solution of $3 - (x + 4) = 2(3 - x)$? Substituting $x = 7$ in both sides of the equation yields

$$3 - (7 + 4) \stackrel{?}{=} 2(3 - 7)$$

$$3 - 11 \stackrel{?}{=} 2(-4)$$

$$\overset{\text{YES}}{-8} = -8$$

so $x = 7$ is a solution.

3. Which of the following are solutions of the quadratic equation

$$x^2 - 2x = 8 :$$

- a. $x = -2$
- b. $x = 2$
- c. $x = 4$

We have

- a. $x = -2$: YES!

$$(-2)^2 - 2 * (-2) = 4 + 4 = 8$$

- b. $x = 2$: NO!

$$(2)^2 - 2 * (2) = 4 - 4 = 0$$

- c. $x = 4$: YES!

$$(4)^2 - 2 * (4) = 16 - 8 = 8$$

[FYI: quadratic equations have two (2) solutions]

4. Which of the following are solutions of the absolute value equation

$$|2x - 7| = 3 :$$

- a. $x = -1$
- b. $x = 2$
- c. $x = 5$

We have

- a. $x = -1$: NO!

$$|2 * (-1) - 7| = |-2 - 7| = |-9| = 9 \neq 3$$

- b. $x = 2$: YES!

$$|2 * 2 - 7| = |4 - 7| = |-3| = 3$$

c. $x = 5$: YES!

$$|2 * 5 - 7| = |10 - 7| = |3| = 3$$

5. Which of the following are solutions of the radical equation

$$\sqrt{5x+6} = 4 :$$

a. $x = -2$

b. $x = 0$

c. $x = 2$

We have

a. $x = -2$: NO!

$$\sqrt{5 * (-2) + 6} = \sqrt{-10 + 6} = \sqrt{-10} \neq 4 ;$$

[No negatives under square root until College Algebra – complex numbers]

b. $x = 0$: NO!

$$\sqrt{5 * 0 + 6} = \sqrt{6} \approx 2.45 \neq 4 ;$$

[Calculator used to get approximation: $\sqrt{6} \approx 2.45$]

c. $x = 2$: YES!

$$\sqrt{5 * 2 + 6} = \sqrt{10 + 6} = \sqrt{16} = 4$$

[We *always* take the positive square root: $\sqrt{16} = 4$]

6. Which of the following are solutions of the rational equation

$$\frac{x}{x-2} = 2 :$$

a. $x = 0$

b. $x = 2$

c. $x = 4$

We have

a. $x = 0$: NO!

$$\frac{0}{0-2} = \frac{0}{-2} = 0 \neq 2 ;$$

b. $x = 2$: NO!

$$\frac{2}{2-2} = \frac{2}{0} = \text{Undefined} \neq 2 ;$$

c. $x = 4$: YES!

$$\frac{4}{4-2} = \frac{4}{2} = 2$$

[Note: We can NOT divide out the “4”: $\frac{4}{4-2}$]

7. Which of the following are solutions of the exponential equation:

a. $x = 0$

b. $x = 3$

c. $x = 6$

We have

a. $x = 0$: NO!

$$2^{0-3} = 2^{-3} = \frac{1}{8} \neq 8 ;$$

b. $x = 3$: NO!

$$2^{3-3} = 2^0 = 1 \neq 8 ;$$

c. $x = 6$: YES!

$$2^{6-3} = 2^3 = 8$$

8. We will consider logarithmic equations later.

YES, you can probably guess the solutions to some of these equations. But PLEASE concentrate on using the properties of arithmetic/algebra to verify all the calculations as you will NOT be able to guess the solutions of the harder equations we will study later.